When recorded mail to:

City Clerk's Office City of Riverside City Hall, 3900 Main Street Riverside, California 92522

FREE RECORDING This instrument is for the benefit of the City of Riverside and is entitled to be recorded without fee (Government Code §6103)

387501

RECEIVED FOR RECORD AT 8:00 O'CLOCK

OCT - 9 1996

ecorded in Official Records Recorder

FOR RECORDER'S OFFICE USE ONLY

Project: Lochmoor Drive Extension

SLOPE & DRAINAGE EASEMENT

FOR VALUABLE CONSIDERATION, receipt of which is hereby acknowledged, THOMAS C. PARKER, Executor of the Estate of BETTY HUTTON WILLIAMS, Deceased, Case No. A-180237, Superior Court, County of Orange, by Letters Testamentary issued on December 13, 1995, as Grantor, grants to the CITY OF RIVERSIDE, a municipal corporation of the State of California, as Grantee, its successors and assigns, an easement and right-of-way for roadway slopes, support and drainage purposes, in, on, under, through, over and along that certain real property as described in *Exhibit "A"* attached hereto and incorporated herein by this reference, located in the City of Riverside, County of Riverside, State of California.

Said roadway slope, support and drainage easement is to be used for all purposes proper and convenient in the construction, reconstruction and maintenance of roadway slopes, supports and drainage, including the rights of ingress and egress, the temporary deposit of tools, equipment, machinery, vehicles, materials and supplies used in the

performance of said work, and for similar and related purposes by the City of Riverside, its officers, employees, agents or contractors.

Dated SEPTEMBER 11, 1996

THOMAS C. PARKER, Executor of the Estate of BETTY HUTTON WILLIAMS, Deceased

GENERAL ACKNOWLEDGEMENT	
	OPTIONAL SECTION
State of California County of <u>Orange</u>	CAPACITY CLAIMED BY SIGNER
	() Attorney-in-fact
On 9/11/96 , before me Sylvia H. Law	() Corporate Officer(s)
(date) (name)	
	Title
a Notary Public in and for said State, personally appeared	İ
m	Title
Thomas C. Parker	
Name(s) of Signer(s)	() Guardian/Conservator
	() Individual(s)
personally known to me - OR proved to me on the basis of satisfac-	() Trustee(s)
tory evidence to be the person(e)—whose name(s) is/are subscribed to the within instrument and acknowledged to me that he/she/they executed the	(X) Other Executor of the
same in his/her/their authorized	Estate of Betty Hutton
capacity (ies), and that by his/ her/their	Williams, Deceased
signature (c) on the instrument the	() Partner(s)
person(s), or the entity upon behalf of	() General
SYLVIA H. LAW which the person(e) acted, executed the	() Limited
NOTARY PUBLIC - CALIFORNIA INSTrument.	1
My Comm. Exp. Dec. 25, 1997 AVITNESS my bond and official and	The party(ies) executing this
WITNESS my hand and official seal.	document is/are representing:
()ulla (l'-haw	

CERTIFICATE OF ACCEPTANCE

(Government Code Section 27281)

THIS IS TO CERTIFY that the interest in real property conveyed by the within instrument to the City of Riverside, California, a municipal corporation, is hereby accepted by the undersigned officer on behalf of the City Council of said City pursuant to authority conferred by Resolution No. 18233 of said City Council adopted May 11, 1993, and the grantee consents to recordation thereof by its duly authorized officer.

Dated 430/96

Real Property Services Manager

of the City of Riverside

lochmoor.slp

AFPROVED AS TO FORM

ASST. CITY ATTORNSY

387501

LS 5346

DESCRIPTION APPROVAL 78/90
SURVEYOR, CITY OF RELESSEE

Prepared under the supervision of:
Lawrence L. Truman, L.S. #5346

Expires 12/31/99
KEITH INTERNATIONAL, INC.
22690 Cactus Avenue, Suite 300
Moreno Valley, CA 92553

(909) 653-0234

EXHIBIT "A" DESCRIPTION OF SLOPE AND DRAINAGE EASEMENTS APPURTENANT TO LOCHMOOR DRIVE

THOSE PORTIONS OF SECTION 32, TOWNSHIP 2 SOUTH, RANGE 4 WEST, SAN BERNARDINO MERIDIAN, IN THE CITY OF RIVERSIDE, COUNTY OF RIVERSIDE, STATE OF CALIFORNIA, LYING WITHIN PARCELS 1 AND 2 AS CONVEYED TO BETTY HUTTON WILLIAMS PER INSTRUMENT NO. 323286, RECORDED AUGUST 18, 1994 IN OFFICIAL RECORDS OF SAID COUNTY, DESCRIBED AS FOLLOWS:

PARCEL "A"

BEGINNING AT THE NORTHERLY TERMINUS OF THE WESTERLY AND SOUTHERLY SIDE LINE OF PARCEL "A", 66.00 FEET WIDE, AS DESCRIBED IN INSTRUMENT NO. <u>387482</u>, RECORDED <u>/0-09</u>, 1996, IN OFFICIAL RECORDS OF SAID COUNTY:

THENCE ALONG SAID WESTERLY AND SOUTHERLY SIDE LINE THE FOLLOWING FIVE COURSES:

SOUTH 33° 12' 29" EAST, 10.03 FEET TO THE BEGINNING OF A TANGENT CURVE CONCAVE WESTERLY AND HAVING A RADIUS OF 432.00 FEET;

SOUTHERLY ALONG SAID CURVE 410.92 FEET THROUGH A CENTRAL ANGLE OF 54° 30' 00":

SOUTH 21° 17' 31" WEST, 181.70 FEET TO THE BEGINNING OF A TANGENT CURVE CONCAVE NORTHEASTERLY AND HAVING A RADIUS OF 498.00 FEET;

SOUTHERLY AND SOUTHEASTERLY ALONG SAID CURVE 953.58 FEET THROUGH A CENTRAL ANGLE OF 109° 42' 39";

AND SOUTH 88° 25' 08" EAST, 38.46 FEET TO THE SOUTHERLY LINE OF SAID PARCEL 2;

THENCE ALONG SAID SOUTHERLY LINE SOUTH 14° 15' 35" WEST, 11.64 FEET;

THENCE NORTH 89° 06' 35" WEST, 31.99 FEET;

THENCE SOUTH 74° 33' 14" WEST, 43.80 FEET:

THENCE SOUTH 66° 21' 19" WEST, 62.76 FEET:

THENCE NORTH 67° 12' 18" WEST, 47.60 FEET:

THENCE NORTH 80° 11' 20" WEST, 72.23 FEET;

THENCE NORTH 53° 20' 01" WEST, 52.47 FEET:

THENCE NORTH 45° 15' 45" WEST, 106.34 FEET;

THENCE NORTH 30° 14' 47" WEST. 101.78 FEET:

THENCE NORTH 55° 16' 16" WEST, 46.34 FEET;

THENCE NORTH 39° 02' 45" WEST, 56.34 FEET:

THENCE NORTH 71° 10' 00" WEST, 25.84 FEET;

THENCE NORTH 33° 26' 43" WEST, 22.56 FEET:

THENCE NORTH 12° 46' 18" WEST, 47.97 FEET;

THENCE NORTH 29° 02' 49" WEST, 44.10 FEET:

THENCE NORTH 69° 10' 50" WEST, 29.44 FEET;

THENCE NORTH 11° 35' 45" WEST, 61.04 FEET;

THENCE NORTH 52° 38' 44" EAST, 42.98 FEET:

THENCE NORTH 00° 33' 41" WEST, 75.31 FEET;

THENCE NORTH 14° 26' 26" WEST, 73.88 FEET:

THENCE NORTH 42° 20' 12" EAST, 74.60 FEET:

THENCE NORTH 32° 04' 49" EAST, 32.27 FEET;

THENCE NORTH 48° 09' 58" EAST, 46.86 FEET:

THENCE NORTH 03° 05' 51" EAST, 132.59 FEET:

THENCE NORTH 26° 04' 28" EAST, 92.50 FEET:

THENCE NORTH 11° 47' 28" EAST, 39.90 FEET:

THENCE NORTH 26° 23' 39" EAST, 32.82 FEET;

THENCE NORTH 07° 38' 57" EAST, 53.51 FEET:

THENCE NORTH 40° 01' 08" WEST, 41.60 FEET:

THENCE NORTH 25° 11' 14" WEST, 80.39 FEET;

THENCE NORTH 02° 23' 32" WEST, 52.34 FEET;

THENCE NORTH 29° 49' 38" WEST, 53.33 FEET TO THE SOUTHWESTERLY LINE OF PARCEL "B" AS DESCRIBED IN LAST SAID INSTRUMENT;

THENCE ALONG SAID SOUTHWESTERLY LINE SOUTH 76° 56' 07" EAST, 26.86 FEET TO THE POINT OF BEGINNING.

PARCEL "B"

BEGINNING AT THE EASTERLY TERMINUS OF THE NORTHERLY AND EASTERLY SIDE LINE OF PARCEL "A", 66.00 FEET WIDE, AS DESCRIBED IN INSTRUMENT NO. 387482, RECORDED 10-09, 1996, IN OFFICIAL RECORDS OF SAID COUNTY;

THENCE ALONG SAID NORTHERLY AND EASTERLY SIDE LINE THE FOLLOWING FIVE COURSES:

NORTH 88° 25' 08" WEST, 216.27 FEET TO THE BEGINNING OF A TANGENT CURVE CONCAVE NORTHEASTERLY AND HAVING A RADIUS OF 432.00 FEET;

NORTHWESTERLY AND NORTHERLY ALONG SAID CURVE 827.20 FEET THROUGH A CENTRAL ANGLE OF 109° 42' 39";

NORTH 21° 17' 31" EAST, 181.70 FEET TO THE BEGINNING OF A TANGENT CURVE CONCAVE WESTERLY AND HAVING A RADIUS OF 498.00 FEET:

NORTHERLY ALONG SAID CURVE 473.70 FEET THROUGH A CENTRAL ANGLE OF 54° 30' 00";

AND NORTH 33° 12' 29" WEST, 10.03 FEET TO THE SOUTHERLY TERMINUS OF THE EASTERLY LINE OF PARCEL "B" AS DESCRIBED IN LAST SAID INSTRUMENT:

THENCE ALONG SAID EASTERLY LINE NORTH 10° 31' 08" EAST, 31.83 FEET TO THE SOUTHEASTERLY LINE OF CENTRAL AVENUE, 110.00 FEET WIDE. AS DESCRIBED IN INSTRUMENT NO. 107764, RECORDED AUGUST 11, 1972 IN OFFICIAL RECORDS OF SAID COUNTY:

THENCE ALONG SAID SOUTHEASTERLY LINE NORTH 56° 47' 31" EAST. 35.83 FEET:

THENCE SOUTH 31° 08' 16" EAST, 60.59 FEET:

THENCE SOUTH 42° 08' 49" EAST, 81.07 FEET:

THENCE SOUTH 25° 43' 46" EAST, 56.94 FEET:

THENCE SOUTH 01° 09' 26" EAST, 66.24 FEET:

THENCE SOUTH 23° 42' 08" WEST, 46.63 FEET;

THENCE SOUTH 75° 11' 43" EAST, 39.89 FEET;

THENCE SOUTH 24° 17' 03" EAST, 81.59 FEET:

THENCE SOUTH 07° 01' 16" WEST, 47.06 FEET;

THENCE SOUTH 71° 37' 20" WEST, 61.95 FEET; THENCE SOUTH 02° 58' 10" EAST, 69.15 FEET: THENCE SOUTH 06° 26' 11" WEST, 30.48 FEET: THENCE SOUTH 33° 21' 13" WEST, 54.13 FEET: THENCE SOUTH 61° 53' 43" WEST, 24.60 FEET; THENCE SOUTH 46° 00' 32" WEST. 71.48 FEET: THENCE SOUTH 38° 03' 21" WEST, 49.66 FEET; THENCE SOUTH 11° 31' 59" EAST, 44.43 FEET: THENCE SOUTH 16° 48' 21" WEST, 124.49 FEET; THENCE SOUTH 00° 25' 11" EAST, 68.56 FEET; THENCE SOUTH 15° 49' 11" EAST, 89.17 FEET; THENCE SOUTH 23° 51' 12" EAST, 71.00 FEET: THENCE SOUTH 43° 00' 02" EAST, 22.66 FEET; THENCE SOUTH 60° 17' 29" EAST, 31.64 FEET; THENCE SOUTH 35° 23' 39" EAST, 16.41 FEET: THENCE SOUTH 54° 31' 59" EAST, 31.22 FEET; THENCE SOUTH 31° 04' 37" EAST, 40.90 FEET; THENCE SOUTH 49° 53' 40" EAST, 38.09 FEET: THENCE SOUTH 72° 15' 12" EAST, 26.42 FEET; THENCE SOUTH 56° 33' 45" EAST, 61.54 FEET; THENCE SOUTH 84° 42' 32" EAST, 27.40 FEET; THENCE SOUTH 69° 44' 57" EAST, 72.98 FEET;

THENCE NORTH 88° 52' 06" EAST, 64.28 FEET;


THENCE SOUTH 17° 50' 02" EAST, 17.54 FEET;


THENCE SOUTH 85° 42' 45" EAST, 30.77 FEET;

THENCE NORTH 85° 47' 41" EAST, 77.29 FEET;

THENCE NORTH 87° 20' 30" EAST, 87.14 FEET TO THE EASTERLY LINE OF SAID SECTION 32:

THENCE ALONG SAID EASTERLY LINE SOUTH 01° 34' 39" WEST, 25.90 FEET TO THE POINT OF BEGINNING.





SHEET 3 OF 3

EXHIBIT "A-1" SLOPE EASEMENTS

CURVE DATA

	DELTA	RADIUS	LENGTH	TANGENT
Α	109'42'39"	432.00	827.20	613.66
В	54*30*00"	498.00	473.70	256.49
С	54*30'00"	432.00	410.92	222.49
D	109"42'39"	498.00	953.58	707.41

LINE DATA LINE DATA LINE DATA

	LINE DAIA		LINE DATA		LINE DAIA			
\bigcirc	BEARING	DISTANCE	0	BEARING	DISTANCE	0	BEARING	DISTANCE
1	N 88"25"08"W	216.27	26	N 43'00'02"W	22.66	51	N 30°14'47"W	101.78
2	N 21"17"31"E	181.70	27	N 60"17'29"W	31.64	52	N 55'16'16"W	46.34
3	N 33'12'29"W	10.03	28	N 35'23'39"W	16.41	53	N 39'02'45"W	56.34
4	N 10"31"08"E	31.83	29	N 54'31'59"W	31.22	54	N 71'10'00 W	25.84
5	N 56'47'31"E	35.83	30	N 31'04'37"W	40.90	55	N 33'26'43"W	22.56
6	N 31'08'16"W	60.59	31	N 49'53'40"W	38.09	56	N 12"46'18"W	47.97
7	N 42'08'49"W	81.07	32	N 72"15"12"W	26.42	57	N 29'02'49"W	44.10
8	N 25'43'46"W	56.94	33	N 56'33'45"W	61.54	58	N 69°10'50"W	29.44
9	N 01'09'26 W	66.24	34	N 84°42'32"W	27.40	59	N 11"35'45"W	61.04
10	N 23'42'08"E	46.63	35	N 69°44'57"W	72.98	60	N 52'38'44"E	42.98
11	N 75'11'43"W	39.89	36	N 88'52'06"E	64.28	61	N 00°33'41"W	75.31
12	N 24'17'03"W	81.59	37	N 17'50'02"W	17.54	62	N 14'26'26"W	73.88
13	N 0701'16"E	47.06	38	N 85'42'45"W	30.77	63	N 42"20'12"E	74.60
14	N 71°37'20 E	61.95	39	N 85'47'41"E	77.29	64	N 32'04'49"E	32.27
15	N 02'58'10"W	69.15	40	N 87'20'30 E	87.14	65	N 48'09'58"E	46.86
16	N 06'26'11"E	30.48	41	N 01'34'39"E	25.90	66	N 03'05'51"E	132.59
17	N 33 21 13 E	54.13	42	N 88'25'08'W	38.46	67	N 26'04'28"E	92.50
18	N 61'53'43'E	24.60	43	N 14'15'35"E	11.64	68	N 11°47'28"E	39.90
19	N 46'00'32"E	71.48	44	N 89'06'35"W	31.99	69	N 26'23'39"E	32.82
20	N 38'03'21"E	49.66	45	N 74'33'14"E	43.80	70	N 0738'57E	53.51
21	N 11'31'59"W	44.43	46	N 66'21'19"E	62.76	71	N 40"01'08"W	41.60
22	N 16'48'21"E	124.49	47	N 67 12'18 W	47.60	72	N 25'11'14"W	80.39
23	N 00°25'11"W	68.56	48	N 80'11'20 W	72.23	73	N 02'23'32"W	52.34
24	N 15'49'11"W	89.17	49	N 53'20'01"W	52.47	74	N 29'49'38'W	53.33
25	N 23'51'12"W	71.00	50	N 45'15'45"W	106.34	75	N 76'56'07"W	26.86